

Missing Antibody Puzzle Pieces – Danger to Older People



How do our B cells make enough **different antibodies** to catch all the different germs that could attack us?



If we had a gene for every antibody we can make, our genome would be **over 1,000 times longer** than it already is...




...that's too much DNA to carry around!

Instead, every B-Cell makes its own **unique antibody** out of a small set of components - **V**, **D** and **J** gene segments:




Different combinations of gene segments connect to each other to make the antibodies.




The antibodies are then able to **recognise and stick** to markers on pathogens (germs), known as antigens.



The V's, D's and J's are all on **one long piece of DNA.**




The DNA has to be **cut up and stuck back together** again to make an antibody.




But the piece of DNA is so long that some of the gene segments are too far apart to be stuck together



B-Cells get around this problem by making loops in the DNA, pulling **far apart** gene segments **closer together**.




They also give special help to far away segments by giving them **epigenetic marks** to help them get chosen.



We have created a new technique called **VDJseq**. It lets us sequence the VDJ's in B-Cells so we know which V's, D's and J's were chosen in each cell.




This sequencing helps us find out **which genes are chosen and why**. It could also help find out what's wrong in people who have a weak immune response to infection.



Do some of their gene segments get ignored so they can't make as many antibodies?

Older people have a weakened immune response.
VDJseq shows that **in older mice the far away V genes don't get chosen** as much as in younger mice.



We hope to understand whether problems with DNA looping or epigenetic marks cause this defect.



Anne Corcoran Laboratory

Content designed by Bryony Stubbs

Amanda Baizan-Edge
Daniel Bolland
Jannek Hauser
Olga Mielczarek
Bryony Stubbs

Peter Chovanec
Devon Shannon
Alice Young
Anne Corcoran

Research in the Corcoran Lab focuses on understanding the role of chromatin and nuclear organisation in controlling gene expression during the development of the immune system:
www.babraham.ac.uk/our-research/nuclear-dynamics/anne-corcoran